

Ballance Agri-Nutrients

Version No: 9.1	
Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017	

Issue Date: 07/03/2022 Print Date: 10/03/2022 L.GHS.NZL.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Nrich SOA
Chemical Name	ammonium sulfate
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Fertiliser.

Details of the supplier of the safety data sheet

Registered company name	Ballance Agri-Nutrients
Address	161 Hewletts Rd Mount Maunganui New Zealand
Telephone	+64 800 222 090
Fax	Not Available
Website	www.sealeswinslow.co.nz
Email	sales@sealeswinslow.co.nz

Emergency telephone number

Association / Organisation	CHEMCALL
Emergency telephone numbers	Freephone: 0800 CHEMCALL (0800 243 622) (24 Hours/ 7 Days)
Other emergency telephone numbers	Not Available

SECTION 2 Hazards identification

Classification of the substance or mixture

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not regulated for transport of Dangerous Goods.

Classification ^[1]	Acute Toxicity (Oral) Category 4, Hazardous to Terrestrial Vertebrates
Legend:	1. Classification by vendor; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI
Determined by using GHS/HSNO criteria	6.1D (oral), 9.3C
Label elements	
Hazard pictogram(s)	
Signal word	Warning
Hazard statement(s)	
H302	Harmful if swallowed.

Version	No:	9.1

Page 2 of 9

Nrich SOA

H433 Hazardous to terrestrial vertebrates.

Precautionary statement(s) Prevention

P264	Wash all exposed external body areas thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Precautionary statement(s) Response

P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor/physician/first aider if you feel unwell.
P330	Rinse mouth.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

P501

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
7783-20-2	95	ammonium sulfate
Legend:	 Classification by vendor; 2. Classification drawn from C Classification drawn from C&L * EU IOELVs available 	CID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4.

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

As in all cases of suspected poisoning, follow the ABCDEs of emergency medicine (airway, breathing, circulation, disability, exposure), then the ABCDEs of toxicology (antidotes, basics, change absorption, change distribution, change elimination).

For poisons (where specific treatment regime is absent):

BASIC TREATMENT

- Establish a patent airway with suction where necessary.
- Watch for signs of respiratory insufficiency and assist ventilation as necessary.
- Administer oxygen by non-rebreather mask at 10 to 15 L/min.
- ÷. Monitor and treat, where necessary, for pulmonary oedema.
- Monitor and treat, where necessary, for shock.
- Anticipate seizures.
- DO NOT use emetics. Where ingestion is suspected rinse mouth and give up to 200 ml water (5 ml/kg recommended) for dilution where patient is able to swallow, has a strong gag reflex and does not drool.

ADVANCED TREATMENT

- Consider orotracheal or nasotracheal intubation for airway control in unconscious patient or where respiratory arrest has occurred. ۶
- Positive-pressure ventilation using a bag-valve mask might be of use.
- ٠ Monitor and treat, where necessary, for arrhythmias.
- Start an IV D5W TKO. If signs of hypovolaemia are present use lactated Ringers solution. Fluid overload might create complications.
- Drug therapy should be considered for pulmonary oedema.

Hypotension with signs of hypovolaemia requires the cautious administration of fluids. Fluid overload might create complications.

- Treat seizures with diazepam.
- Proparacaine hydrochloride should be used to assist eye irrigation.

BRONSTEIN, A.C. and CURRANCE, P.L. EMERGENCY CARE FOR HAZARDOUS MATERIALS EXPOSURE: 2nd Ed. 1994 Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.

	Non combustible.
	Not considered a significant fire risk, however containers may burn.
	Decomposition may produce toxic fumes of:
Fire/Explosion Hazard	I nitrogen oxides (NOx)
	sulfur oxides (SOx)
	May emit poisonous fumes.
	May emit corrosive fumes.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labelled container for waste disposal.
Major Spills	Moderate hazard. CAUTION: Advise personnel in area. Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing. Prevent, by any means available, spillage from entering drains or water courses. Recover product wherever possible.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	 Glass container is suitable for laboratory quantities Polyethylene or polypropylene container. Check all containers are clearly labelled and free from leaks.
--------------------	---



X — Must not be stored together

0 — May be stored together with specific preventions

+ - May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
ammonium sulfate	13 mg/m3	140 mg/m3		840 mg/m3
Ingredient	Original IDLH		Revised IDLH	
ammonium sulfate	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
ammonium sulfate	E	≤ 0.01 mg/m³
Notes:	Occupational exposure banding is a process of assigning chemicals into s adverse health outcomes associated with exposure. The output of this pro range of exposure concentrations that are expected to protect worker hea	cess is an occupational exposure band (OEB), which corresponds to a

MATERIAL DATA

Exposure controls

"adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed proventilation system must match the particular process and chemical or contaminant in use. Personal protection Image: Comparison of the particular process and chemical or contaminant in use. Eye and face protection Image: Safety glasses with side shields. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written prote wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid person their removal and suitable equipment should be readily available. Skin protection See Hand protection below	rom manufacturer to be calculated in advance is to be observed when
Personal protection Image: Contact lenses with side shields. Eye and face protection Image: Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written put the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid person	
ventilation system must match the particular process and chemical or contaminant in use.	eview of lens absorption
Appropriate engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-design be highly effective in protecting workers and will typically be independent of worker interactions to provide this high le The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and	el of protection. entilation that strategically

	 polychloroprene. nitrile rubber. butyl rubber. fluorocaoutchouc. polyvinyl chloride.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eye wash unit.

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
 Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

Use approved positive flow mask if significant quantities of dust becomes airborne.

· Try to avoid creating dust conditions.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance White, pinky / brown odourless crystals or powder. Very soluble in water, 76 g/100ml @ 20 C. Insoluble in alcohol and acetone.

Physical state	Divided Solid	Relative density (Water = 1)	1.6
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature	235
Melting point / freezing point (°C)	235-280 decomp	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7

Page 6 of 9

Nrich SOA

Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

	produce serious damage to the health of the individual.	
Ingestion	diarrhoea (purging). Sulfate ion usually has little toxicological potentia Human metabolism allows detoxification of ammonia, however toxic e Ingestion of ammonium salts may produce local irritation, nausea, voi drop in blood pressure, collapse, central nervous system disorders, s Large doses of ammonium salts may be sufficiently absorbed to prod described after parenteral administration of the salts and produce flac	effects appear if this mechanism is overwhelmed by other than small doses. miting and diarrhoea. Very large doses of ammonium salts may produce a pasms, narcosis, respiratory paralysis and haemolysis. luce diuresis and systemic ammonia poisoning. Such poisonings have been cidity of facial muscles, tremor, generalised discomfort, anxiety and sion. Such a clinical picture resembles that found in terminal liver failure -
	individuals following direct contact, and/or produces significant inflam hours, such inflammation being present twenty-four hours or more aft	terial either produces inflammation of the skin in a substantial number of mation when applied to the healthy intact skin of animals, for up to four ter the end of the exposure period. Skin irritation may also be present after
Skin Contact	redness (erythema) and swelling (oedema) which may progress to bli microscopic level there may be intercellular oedema of the spongy la The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this ma Solution of material in moisture on the skin, or perspiration, may incre	yer of the skin (spongiosis) and intracellular oedema of the epidermis. terial ease irritant effects ncture wounds or lesions, may produce systemic injury with harmful effects.
Skin Contact	redness (erythema) and swelling (oedema) which may progress to bli microscopic level there may be intercellular oedema of the spongy lay The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this ma Solution of material in moisture on the skin, or perspiration, may incre Entry into the blood-stream through, for example, cuts, abrasions, pu Examine the skin prior to the use of the material and ensure that any Limited evidence exists, or practical experience suggests, that the ma is expected to produce significant ocular lesions which are present two	istering (vesiculation), scaling and thickening of the epidermis. At the yer of the skin (spongiosis) and intracellular oedema of the epidermis. tetrial asse irritant effects ncture wounds or lesions, may produce systemic injury with harmful effects. external damage is suitably protected. aterial may cause eye irritation in a substantial number of individuals and/or venty-four hours or more after instillation into the eye(s) of experimental in characterised by temporary redness (similar to windburn) of the conjunctiva
	redness (erythema) and swelling (oedema) which may progress to bli microscopic level there may be intercellular oedema of the spongy lay. The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this may Solution of material in moisture on the skin, or perspiration, may incre- Entry into the blood-stream through, for example, cuts, abrasions, pu Examine the skin prior to the use of the material and ensure that any Limited evidence exists, or practical experience suggests, that the ma- is expected to produce significant ocular lesions which are present tw animals. Repeated or prolonged eye contact may cause inflammatior (conjunctivitis); temporary impairment of vision and/or other transient Limited evidence suggests that repeated or long-term occupational er- biochemical systems. Limited evidence shows that inhalation of the material is capable of in greater frequency than would be expected from the response of a non Pulmonary sensitisation, resulting in hyperactive airway dysfunction a	istering (vesiculation), scaling and thickening of the epidermis. At the yer of the skin (spongiosis) and intracellular oedema of the epidermis. tterial asse irritant effects ncture wounds or lesions, may produce systemic injury with harmful effects. external damage is suitably protected. aterial may cause eye irritation in a substantial number of individuals and/or venty-four hours or more after instillation into the eye(s) of experimental in characterised by temporary redness (similar to windburn) of the conjunctiva eye damage/ulceration may occur. xposure may produce cumulative health effects involving organs or inducing a sensitisation reaction in a significant number of individuals at a rmal population. and pulmonary allergy may be accompanied by fatigue, malaise and aching. even after exposure ceases. Symptoms can be activated by a variety of
Eye	redness (erythema) and swelling (oedema) which may progress to bli microscopic level there may be intercellular oedema of the spongy lay. The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this ma Solution of material in moisture on the skin, or perspiration, may incre- Entry into the blood-stream through, for example, cuts, abrasions, pu Examine the skin prior to the use of the material and ensure that any Limited evidence exists, or practical experience suggests, that the ma is expected to produce significant ocular lesions which are present tw animals. Repeated or prolonged eye contact may cause inflammation (conjunctivitis); temporary impairment of vision and/or other transient Limited evidence suggests that repeated or long-term occupational er- biochemical systems. Limited evidence shows that inhalation of the material is capable of ir greater frequency than would be expected from the response of a non Pulmonary sensitisation, resulting in hyperactive airway dysfunction a Significant symptoms of exposure may persist for extended periods, or nonspecific environmental stimuli such as automobile exhaust, perfur-	istering (vesiculation), scaling and thickening of the epidermis. At the yer of the skin (spongiosis) and intracellular oedema of the epidermis. tetrial ease irritant effects noture wounds or lesions, may produce systemic injury with harmful effects. external damage is suitably protected. aterial may cause eye irritation in a substantial number of individuals and/or venty-four hours or more after instillation into the eye(s) of experimental in characterised by temporary redness (similar to windburn) of the conjunctiva eye damage/ulceration may occur. xposure may produce cumulative health effects involving organs or nducing a sensitisation reaction in a significant number of individuals at a rmal population. and pulmonary allergy may be accompanied by fatigue, malaise and aching. even after exposure ceases. Symptoms can be activated by a variety of mes and passive smoking. in lung function (i.e. pneumoconiosis) caused by particles less than 0.5
Eye Chronic	redness (erythema) and swelling (oedema) which may progress to bli microscopic level there may be intercellular oedema of the spongy lay The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this ma Solution of material in moisture on the skin, or perspiration, may incre- Entry into the blood-stream through, for example, cuts, abrasions, pu Examine the skin prior to the use of the material and ensure that any Limited evidence exists, or practical experience suggests, that the ma is expected to produce significant ocular lesions which are present tw animals. Repeated or prolonged eye contact may cause inflammation (conjunctivitis); temporary impairment of vision and/or other transient Limited evidence suggests that repeated or long-term occupational er- biochemical systems. Limited evidence shows that inhalation of the material is capable of in greater frequency than would be expected from the response of a no Pulmonary sensitisation, resulting in hyperactive airway dysfunction a Significant symptoms of exposure may persist for extended periods, or nonspecific environmental stimuli such as automobile exhaust, perfur	istering (vesiculation), scaling and thickening of the epidermis. At the yer of the skin (spongiosis) and intracellular oedema of the epidermis. tetrial ease irritant effects noture wounds or lesions, may produce systemic injury with harmful effects. external damage is suitably protected. aterial may cause eye irritation in a substantial number of individuals and/or venty-four hours or more after instillation into the eye(s) of experimental in characterised by temporary redness (similar to windburn) of the conjunctiva eye damage/ulceration may occur. xposure may produce cumulative health effects involving organs or nducing a sensitisation reaction in a significant number of individuals at a armal population. and pulmonary allergy may be accompanied by fatigue, malaise and aching. even after exposure ceases. Symptoms can be activated by a variety of mes and passive smoking. in lung function (i.e. pneumoconiosis) caused by particles less than 0.5
Eye	redness (erythema) and swelling (oedema) which may progress to bli microscopic level there may be intercellular oedema of the spongy lay The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this ma Solution of material in moisture on the skin, or perspiration, may incre- Entry into the blood-stream through, for example, cuts, abrasions, pu Examine the skin prior to the use of the material and ensure that any Limited evidence exists, or practical experience suggests, that the ma- is expected to produce significant ocular lesions which are present tw animals. Repeated or prolonged eye contact may cause inflammation (conjunctivitis); temporary impairment of vision and/or other transient Limited evidence suggests that repeated or long-term occupational ex- biochemical systems. Limited evidence shows that inhalation of the material is capable of ir greater frequency than would be expected from the response of a noi Pulmonary sensitisation, resulting in hyperactive airway dysfunction as Significant symptoms of exposure may persist for extended periods, nonspecific environmental stimuli such as automobile exhaust, perfur Long term exposure to high dust concentrations may cause changes micron penetrating and remaining in the lung. A prime symptom is bro	istering (vesiculation), scaling and thickening of the epidermis. At the yer of the skin (spongiosis) and intracellular oedema of the epidermis. tetrial asse irritant effects noture wounds or lesions, may produce systemic injury with harmful effects. external damage is suitably protected. aterial may cause eye irritation in a substantial number of individuals and/or venty-four hours or more after instillation into the eye(s) of experimental in characterised by temporary redness (similar to windburn) of the conjunctiva eye damage/ulceration may occur. xposure may produce cumulative health effects involving organs or inducing a sensitisation reaction in a significant number of individuals at a rmal population. and pulmonary allergy may be accompanied by fatigue, malaise and aching. even after exposure ceases. Symptoms can be activated by a variety of mes and passive smoking. in lung function (i.e. pneumoconiosis) caused by particles less than 0.5 eathlessness. Lung shadows show on X-ray.
Eye Chronic	redness (erythema) and swelling (oedema) which may progress to bli microscopic level there may be intercellular oedema of the spongy lay. The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this ma Solution of material in moisture on the skin, or perspiration, may incre- Entry into the blood-stream through, for example, cuts, abrasions, pu Examine the skin prior to the use of the material and ensure that any Limited evidence exists, or practical experience suggests, that the ma- is expected to produce significant ocular lesions which are present tw animals. Repeated or prolonged eye contact may cause inflammation (conjunctivitis); temporary impairment of vision and/or other transient Limited evidence suggests that repeated or long-term occupational ex- biochemical systems. Limited evidence shows that inhalation of the material is capable of in greater frequency than would be expected from the response of a non Pulmonary sensitisation, resulting in hyperactive airway dysfunction a Significant symptoms of exposure may persist for extended periods, or nonspecific environmental stimuli such as automobile exhaust, perfur Long term exposure to high dust concentrations may cause changes micron penetrating and remaining in the lung. A prime symptom is bro	istering (vesiculation), scaling and thickening of the epidermis. At the yer of the skin (spongiosis) and intracellular oedema of the epidermis. Interial asase irritant effects neture wounds or lesions, may produce systemic injury with harmful effects. external damage is suitably protected. aterial may cause eye irritation in a substantial number of individuals and/or venty-four hours or more after instillation into the eye(s) of experimental in characterised by temporary redness (similar to windburn) of the conjunctiva eye damage/ulceration may occur. xposure may produce cumulative health effects involving organs or inducing a sensitisation reaction in a significant number of individuals at a rmal population. and pulmonary allergy may be accompanied by fatigue, malaise and aching. even after exposure ceases. Symptoms can be activated by a variety of mes and passive smoking. in lung function (i.e. pneumoconiosis) caused by particles less than 0.5 eathlessness. Lung shadows show on X-ray. IRRITATION

Oral (Rat) LD50; 2840 mg/kg^[2] Skin: no adverse effect observed (not irritating)^[1]

Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

AMMONIUM SULFATE

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases.

	for ammonium sulfate As ammonium sulfate dissociates in biological systems studies with other ammonium and sulfate salts can be used to cover these endpoints: A screening study according to OECD TG 422 with ammonium phosphate as analogue substance, which forms ammonium ions in aqueous solutions is available. Fully valid fertility studies with analogue compounds containing sulfate ions are however lacking. Two limited studies with sodium sulfate can be used for assessment of fertility and developmental toxicity, however, in none of these studies have the foetuses been examined histologically. There are no in vivo data on genotoxicity for ammonium sulfate. To bridge the data gap, data for ammonium chloride, which dissociates in aqueous media to form ammonium ions, as does ammonium sulfate, will be used. In aqueous media, ammonium sulfate dissociates in the ammonium and sulfate ions (NH4+, SO4 2-). These can be taken up into the body by the oral and respiratory routes.			
Acute Toxicity	¥	Carcinogenicity	×	
Skin Irritation/Corrosion	×	Reproductivity	×	
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×	
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×	
Mutagenicity	X Aspiration Hazard			
		•	t available or does not fill the criteria for classification to make classification	

SECTION 12 Ecological information

Toxicity

Nrich SOA	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
ammonium sulfate	EC50(ECx)	24h	Fish	0.068mg/L	5
	LC50	96h	Fish	34.6mg/l	2
	EC50	72h	Algae or other aquatic plants	190mg/l	2
	EC50	48h	Crustacea	60mg/l	2
Legend:	Ecotox databa	1. IUCLID Toxicity Data 2. Europe ECHA Register se - Aquatic Toxicity Data 5. ECETOC Aquatic Haz tion Data 8. Vendor Data	•		

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air		
ammonium sulfate	HIGH	HIGH		
Bioaccumulative potentia	al			
Ingredient	Bioaccumulation			
ammonium sulfate	LOW (LogKOW = -2.2002)			
Mobility in soil				
Ingredient	Mobility			
ammonium sulfate	LOW (KOC = 6.124)			

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. Otherwise: If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Version	No:	9.1

Page 8 of 9

Nrich SOA

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous. Only dispose to the environment if a tolerable exposure limit has been set for the substance.

Only deposit the hazardous substance into or onto a landfill or sewage facility or incinerator, where the hazardous substance can be handled and treated appropriately.

SECTION 14 Transport information

Labels Required	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
ammonium sulfate	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
ammonium sulfate	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002571	Fertilisers Subsidiary Hazard Group Standard 2020

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

ammonium sulfate is found on the following regulatory lists

FEI Equine Prohibited Substances List - Banned Substances

FEI Equine Prohibited Substances List (EPSL)

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes

National Inventory	Status		
Canada - DSL	Yes		
Canada - NDSL	No (ammonium sulfate)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	Yes		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	Yes		
Vietnam - NCI	Yes		
Russia - FBEPH	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date	07/03/2022
Initial Date	03/09/2001

SDS Version Summary

Version	Date of Update	Sections Updated
8.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification
9.1	07/03/2022	Acute Health (eye), Acute Health (inhaled), Acute Health (skin), Chronic Health, Classification, Disposal, Environmental, Exposure Standard, Use

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances